

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form: Mixture
Product name: Forestacryl Powder
Product group: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category: Professional use
Use of the substance/mixture: Manufacturing of dental applications

Title	Life cycle stage	Use descriptors
Forestacryl Powder	Professional	SU20

Full text of use descriptors: see section 16.

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

Bernhard Förster GmbH
Westliche Karl-Friedrich-Str. 151
75172 Pforzheim / Germany
info@forestadent.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Organic peroxide Not classified
Skin sensitisation, Category 1: H317
Hazardous to the aquatic environment — Chronic Hazard, Category 2: H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects:
May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):



GHS07



GHS09

Signal word (CLP):	Warning
Contains:	dibenzoyl peroxide; benzoyl peroxide
Hazard statements (CLP):	<ul style="list-style-type: none"> • H317 – May cause an allergic skin reaction • H411 – Toxic to aquatic life with long lasting effects
Sicherheitshinweise (CLP):	<ul style="list-style-type: none"> • P261 – Avoid breathing dust • P280 – Wear protective gloves • P302+P352 – If on skin: Wash with plenty of soap and water • P273 – Avoid release to the environment • P391 – Collect spillage • P501 – Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
Extra phrases :	Medical devices as defined in Regulation (EU) 2017/745 of the European Parliament and of the Council on medical devices.

2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 .

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
dibenzoyl peroxide; benzoyl peroxide substance with national workplace exposure limit(s) (GB)	CAS-No.: 94-36-0 EC-No.: 202-327-6 EC Index-No.: 617-008-00-0 REACH-no: 01-2119511472-50	1 – 5	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation:	Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest.
First-aid measures after skin contact:	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion:	Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation:	May cause an allergic skin reaction.
Symptoms/effects after skin contact:	May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. .

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray, Dry powder, Foam, Carbon dioxide, Sand
Unsuitable extinguishing media: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust, fume. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: „Exposure controls/personal protection“.
Emergency procedures: Ventilate area

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment: Collect spillage
Methods for cleaning up: Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.
Other information: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Hygiene measures: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions:	Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool well ventilated place. Keep container closed when not in use.
Incompatible products:	Strong bases. Strong acids.
Incompatible materials:	Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

dibenzoyl peroxide; benzoyl peroxide (94-36-0)	
United Kingdom – Occupational Exposure Limits	
Local name	Dibenzoyl peroxide
WEL TWA (OEL TWA) [1]	5 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available.

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

dibenzoyl peroxide; benzoyl peroxide (94-36-0)	
DNEL/DMEL (Workers)	
Long-term – systemic effects, dermal	6.6 mg/kg bodyweight/day
Long-term – local effects, dermal	0,034 mg/m ³
Long-term – systemic effects, inhalation	11,75 mg/m ³
DNEL/DMEL (General population)	
Long-term – systemic effects,oral	1.65 mg/kg bodyweight/day
Long-term – systemic effects, inhalation	2,9 mg/m ³
Long-term – systemic effects, dermal	3.3 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,602 µg/l
PNEC aqua (marine water)	0,0602 µg/l
PNEC aqua (intermittent, freshwater)	0,602 µg/l

PNEC (Sediment)	
PNEC sediment (freshwater)	0.338 mg/kg dwt
PNEC sediment (marine water)	0.0338 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.0758 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	6.67 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	0,35 mg/l

8.1.5. Control banding

No additional information available.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Gloves. Protective clothing. Safety glasses. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear eye glasses with side protection according to EN 166.

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. Standard. EN 13034.

Hand protection:

Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. penetration time (maximum wearing period): > 480 m. Suitable material: Nitrile rubber, Neoprene.

8.2.2.3. Respiratory protection

Dust production: dust mask with filter type P2. Standard. EN 149.

8.2.2.4. Thermal hazards

No additional information available.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Solid
Colour:	Coloured
Appearance:	Fine grains
Odour:	Typically methacrylate
Odour threshold:	Not available
Melting point:	150 – 230 °C
Freezing point:	Not available
Boiling point:	Not applicable
Flammability:	Not applicable
Explosive properties:	Weakly to moderately explosive
Explosive limits:	Not applicable
Lower explosive limit (LEL):	Not applicable
Upper explosive limit (UEL):	Not applicable
Flash point	
Auto-ignition temperature:	465 °C
Decomposition temperature:	Not applicable
pH:	Not applicable
pH solution:	Not available
Viscosity, kinematic:	Not applicable
Viscosity, dynamic:	Not applicable
Solubility:	Water: Negligible
Partition coefficient n-octanol/water (Log Kow):	Not available
Partition coefficient n-octanol/water (Log Pow):	Not applicable
Vapour pressure:	Not applicable
Vapour pressure at 50 °C:	Not available
Density:	Not applicable
Relative density:	1,1 – 1,18
Relative vapour density at 20 °C:	Not applicable
Particle size:	Not available
Particle size distribution:	Not available
Particle shape:	Not available
Particle aspect ratio:	Not available
Particle aggregation state:	Not available
Particle agglomeration state:	Not available
Particle specific surface area:	Not available
Particle dustiness:	Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available.

9.2.2. Other safety characteristics

Bulk density: 0,6 – 0,7 g/ml

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

ignition sources. Direct sunlight.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral): Not classified
Acute toxicity (dermal): Not classified
Acute toxicity (inhalation): Not classified

dibenzoyl peroxide; benzoyl peroxide (94-36-0)

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: male
LC0, Inhalation, rat	24,3 mg/l/4h

Skin corrosion/irritation: Not classified
pH: Not applicable
Additional information: Based on available data, the classification criteria are not met
Serious eye damage/irritation: Not classified
pH: Not applicable
Additional information: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation: May cause an allergic skin reaction
Germ cell mutagenicity: Not classified
Additional information: Based on available data, the classification criteria are not met
Carcinogenicity: Not classified
Additional information: Based on available data, the classification criteria are not met
Reproductive toxicity: Not classified
Additional information: Based on available data, the classification criteria are not met
STOT-single exposure : Not classified
Additional information: Based on available data, the classification criteria are not met
STOT-repeated exposure: Not classified
Additional information: Based on available data, the classification criteria are not met

dibenzoyl peroxide; benzoyl peroxide (94-36-0)

NOAEL (oral, rat, 90 days)	190 – 1000
NOAEL (dermal, rat/rabbit, 90 days)	833 mg/kg bodyweight/day

Aspiration hazard: Not classified
Additional information: Based on available data, the classification criteria are not met

Forestacryl Pulver

Viscosity, kinematic	Not applicable
----------------------	----------------

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available.

11.2.2. Other information

Potential adverse human health effects and symptoms:
Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology – general:	Toxic to aquatic life with long lasting effects
Ecology – water:	Toxic to aquatic life with long lasting effects
Hazardous to the aquatic environment, short-term (acute) :	Not classified
Hazardous to the aquatic environment, long-term (chronic) :	Toxic to aquatic life with long lasting effects

dibenzoyl peroxide; benzoyl peroxide (94-36-0)

LC50 – Fish [1]	0.0602 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 – Crustacea [1]	0.11 mg/l Test organisms (species): Daphnia magna
EC50 72h – Algae [1]	0,0422 – 0,0711 mg/l

12.2. Persistence and degradability

Forestacryl Powder

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

Forestacryl Powder

Partition coefficient n-octanol/water (Log Pow)	Not applicable
Bioaccumulative potential	Not established.

dibenzoyl peroxide; benzoyl peroxide (94-36-0)

Partition coefficient n-octanol/water (Log Pow)	3.2
---	-----

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

No additional information available.

12.6. Endocrine disrupting properties

No additional information available.

12.7. Other adverse effects

Additional information: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste):	Disposal must be done according to official regulations.
Waste treatment methods:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations:	Dispose in a safe manner in accordance with local/national regulations.
Ecology – waste materials :	Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name				
Environmentally hazardous substance, solid, N.O.S (dibenzoyl peroxide; benzoyl peroxide)	Environmentally hazardous substance, solid, N.O.S (dibenzoyl peroxide; benzoyl peroxide)	Environmentally hazardous substance, solid, N.O.S (dibenzoyl peroxide; benzoyl peroxide)	Environmentally hazardous substance, solid, N.O.S (dibenzoyl peroxide; benzoyl peroxide)	Environmentally hazardous substance, solid, N.O.S (dibenzoyl peroxide; benzoyl peroxide)
Transport document description				
UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide; benzoyl peroxide), 9, III, (-)	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide; benzoyl peroxide), 9, III, marine pollutant	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide; benzoyl peroxide), 9, III	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide; benzoyl peroxide), 9, III	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide; benzoyl peroxide), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available.				

14.6. Special precautions for user

Overland transport

Classification code (ADR):	M7
Special provisions (ADR):	274, 335, 375, 601
Limited quantities (ADR):	5 kg
Excepted quantities (ADR):	E1
Packing instructions (ADR):	P002, IBC08, LP02, R001
Special packing provisions (ADR):	PP12, B3
Mixed packing provisions (ADR):	MP10
Portable tank and bulk container instructions (ADR):	T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (ADR):	TP33
Tank code (ADR):	SGAV, LGBV
Vehicle for tank carriage:	AT
Transport category (ADR):	3
Special provisions for carriage – Packages (ADR):	V13
Special provisions for carriage – Bulk (ADR):	VC1, VC2
Special provisions for carriage - Loading, unloading and handling (ADR):	CV13

Hazard identification number (Kemler No.): 90

Orange plates



Tunnel restriction code (ADR): –

EAC code:

2Z

Transport by sea

Special provisions (IMDG):	274, 335, 966, 967, 969
Limited quantities (IMDG):	5 kg
Excepted quantities (IMDG):	E1
Packing instructions (IMDG):	LP02, P002
Special packing provisions (IMDG):	PP12
IBC packing instructions (IMDG):	IBC08
IBC special provisions (IMDG):	B3
Tank instructions (IMDG):	BK1, BK2, BK3, T1
Tank special provisions (IMDG):	TP33
EmS-No. (Fire):	F-A
EmS-No. (Spillage):	S-F
Stowage category (IMDG):	A
Stowage and handling (IMDG):	SW23

Air transport

PCA Excepted quantities (IATA):	E1
PCA Limited quantities (IATA):	Y956
PCA limited quantity max net quantity (IATA):	30 kgG
PCA packing instructions (IATA):	956
PCA max net quantity (IATA):	400 kg
CAO packing instructions (IATA):	956
CAO max net quantity (IATA):	400 kg
Special provisions (IATA):	A97, A158, A179, A197
ERG code (IATA):	9L

Inland waterway transport

Classification code (ADN):	M7
Special provisions (ADN):	274, 335, 375, 601
Limited quantities (ADN):	5 kg
Excepted quantities (ADN):	E1
Carriage permitted (ADN):	T* B**
Equipment required (ADN):	PP
Number of blue cones/lights (ADN):	0

Additional requirements/Remarks (ADN):

* Only in the molten state.

** For carriage in bulk see also 7.1.4.1.

*** Only in the case of transport in bulk.

Rail transport

Classification code (RID)	M7
Special provisions (RID)	274, 335, 375, 601
Limited quantities (RID)	5 kg
Excepted quantities (RID)	E1
Packing instructions (RID)	P002, IBC08, LP02, R001
Special packing provisions (RID)	PP12, B3
Mixed packing provisions (RID)	MP10
Portable tank and bulk container instructions (RID)	T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (RID)	TP33
Tank codes for RID tanks (RID)	SGAV, LGBV
Transport category (RID)	3
Special provisions for carriage – Packages (RID)	W13
Special provisions for carriage – Bulk (RID)	VC1, VC2
Special provisions for carriage - Loading, unloading and handling (RID)	CW13, CW31
Colis express (express parcels) (RID)	CE11
Hazard identification number (RID)	90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions.

Contains no substance on the REACH candidate list $\geq 0,1\%$ / SCL

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)

TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Org. Perox. B	Organic Peroxides, Type B
Skin Sens. 1	Skin sensitisation, Category 1

Full text of use descriptors

SU20	Health services
------	-----------------

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Org. Perox. Not classified		Expert judgment
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.